

论文目录 (2006)

- [1] Interaction of Light Filaments Generated by Femtosecond Laser Pulses in Air; TT Xi, X Lu, J Zhang; Physical Review Letters; 96 (2006) 25003.
- [2] Observation of a Fast Electron Beam Emitted along the Surface of a Target Irradiated by Intense Femtosecond Laser Pulses; YT Li, XH Yuan, MH Xu, ZY Zheng, ZM Sheng, M Chen, YY Ma, WX Liang, QZ Yu, Y Zhang, F Liu, ZH Wang, ZY Wei, W Zhao, Z Jin, and J Zhang; Physical Review Letters; 96 (2006) 165003.
- [3] Generalized n-photon resonant 2n-wave mixing in an (n+1)-level system with phase-conjugate geometry; Zuo ZC, Sun J, Fu GS, Wu LA, Fu PM; Physical Review Letters; 97 (2006) 193904.
- [4] Experimental synchronization of independent entangled photo sources; T Yang, Q Zhang, TY Chen, S Lu, J Yin, JW Pan, ZY Wei, JR Tian, J Zhang; Physical Review Letters; 96 (2006) 110501.
- [5] Transient Electrostatic Fields and Related Energetic Proton Generation with a Plasma Fiber; Z L Chen, GR Kumar, ZM Sheng, T Matsuoka, Y Sentoku, M Tampo, K A Tanaka, T Tsutsumi, T Yabuuchi, and R Kodama; Physical Review Letters; 96 (2006) 84802.
- [6] Anisotropy of domain broadening in periodically poled lithium niobate crystals; Y. Sheng, T. Wang, B.Q. Ma, E. Qu, B.Y. Cheng, D.Z. Zhang; Applied Physics Letters; 88 (2006) 41121.
- [7] Magnetic field dependent voltage-current characteristics in Fe₃O₄ thin films at room temperature; Zhao K, Feng JF, Huang YH, Zhao JG, Lu HB; Applied Physics Letters; 88 (2006) 52506.
- [8] Multifunctional characteristics of BaNb_{0.3}Ti_{0.7}O₃/Si p-n junctions; Yanhong Huang, Kun Zhao, Huibin Lu, Kui-juan Jin, Zhenghao Chen, Yueliang Zhou, and Guozhen Yang; Applied Physics Letters; 88 (2006) 61919.
- [9] Influence of the nanoscale structure of gold thin films upon peroxidase-induced chemiluminescence; Lu GW, Cheng BL, Shen H, Chen ZH, Yang GZ, Marquette CA, Blum LJ, Tillement O, Roux S, Ledoux G, Descamps A, Perriat P; Applied Physics Letters; 88 (2006) 203903.
- [10] Transient lateral photovoltaic effect in p-n heterojunction of La_{0.7}Sr_{0.3}MnO₃ and Si; Kun Zhao, K. J. Jin, H. B. Lu, Y. H. Huang, Q. L. Zhou, M. He, Z.H. Chen, Y. L. Zhou, G. Z. Yang; Applied Physics Letters; 88 (2006) 141914 .
- [11] Unusual colossal positive magnetoresistance of the n-n heterojunction composed of La_{0.33}Ca_{0.67}MnO₃ and Nb-doped SrTiO₃; C. M. Xiong, Y. G. Zhao, B. T. Xie, and P. L. Lang, K. J. Jin; Applied Physics Letters; 88 (2006) 193507 .

[12]Peaks separation of the nonlinear refraction and nonlinear absorption induced by external electric field; Dongyi Guan, Zhenghao Chen, Yueliang Zhou, Kui-Juan Jin, and Guozhen Yang; Applied Physics Letters; 88 (2006) 111191.

[13]Ultraviolet fast-response photoelectric effect in tilted orientation SrTiO₃ single crystals; kun zhao, Kui-juan Jin, Yanhong Huang, Song-qing Zhao, Hui-bin Lu, Meng He, Zhenghao Chen, Yue liang Zhou, Guozhen Yang; Applied Physics Letters; 89 (2006) 173507.

[14]Single [101]-oriented growth of La_{0.9}Sr_{0.1}MnO₃ films on vicinal SrTiO₃ (001) substrates; M. J. Zhou, Y. L. Zhu, X. L. Ma, and H. B. Lu; Applied Physics Letters; 88 (2006) 71905.

[15]Dielectric properties of Bi_{1.5}Zn_{1.0}Nb_{1.5}O₇/Mn-doped Ba_{0.6}Sr_{0.4}TiO₃ heterolayered films grown by pulsed laser deposition; W. Y. Fu, L. Z. Cao, S. F. Wang, Z. H. Sun, B. L. Cheng, Q. Wang and H. Wang; Applied Physics Letters; 89 (2006) 132908.

[16]Fabry-perot type with surface Plasmon Resonance; G. W. Lu, B.L. Cheng, H. Shen, Y. L. Zhou, Z.H. Chen, G. Z. Yang, O. Tillement, S. Roux, P. Periat; Applied Physics Letters; 89 (2006) 223904.

[17]How surface-enhanced Chemiluminescence depends on the Distance from a Corrugated Metal Film; Lu GW, Cheng BL, Shen H, Chen ZH, Marquette CA, Blum LJ, Tillement O, Roux S, Ledoux G, Ou M, Periat P; Applied Physics Letters; 89 (2006) 223128.

[18]Anomalous enhancement of terahertz radiation from semi-insulating GaAs surfaces induced by optical pump; Shi YL, Xu XL, Yang YP, Yan W, Ma SH, Wang L; Applied Physics Letters; 89 (2006) 81129.

[19]Ultrafast carrier dynamics in Au/GaAs interfaces studied by Terahertz emission spectroscopy; Shi YL, Yang YP, Xu XL, Ma SH, Yan W, Wang L; Applied Physics Letters; 88 (2006) 161109.

[20]Time-resolved broadband analysis of split ring resonators in terahertz region; Quan BG, Xu XL, Yang HF, Xia XX, Wang Q, Wang L, Gu CZ, Li C, Li F; Applied Physics Letters; 89 (2006) 41101.

[21]Ultrafast tunable filter in two-dimensional organic photonic crystal; X.Y. Hu, Q.H. Gong, Y.H. Liu, B.Y. Cheng, D.Z. Zhang; Optics Letters; 31 (2006) 371.

[22]Diode-pumped continuous-wave Nd:LuVO₄ laser operating at 916 nm; Zhang CY, Zhang L, Wei ZY, Zhang C, Long YB, Zhang ZG, Zhang HJ, Wang JY; Optics Letters; 31 (2006) 1435.

[23]Absolute self-calibration of the quantum efficiency of single-photon detectors; Chen XH, Zhai YH, Zhang D and Wu LA; Optics Letters; 31 (2006) 2441.

[24]Two-photon interference with two independent pseudothermal sources; Zhai YH, Chen XH, Wu LA; Physical Review A; 74 (2006) 53807.

- [25]Self-trapping of Bose-Einstein condensates in optical lattices; Wang BB, Fu PM, Liu J, Wu B; Physical Review A; 74 (2006) 63610.
- [26]Simulations of a grazing-incidence pumped x-ray laser at 14.7 nm; F Yan, J Zhang, QL Dong, X Lu, and Y J Li; Physical Review A; 73 (2006) 23812.
- [27]Simulations of the output of a Ne-like Ti x-ray laser at 32.6 nm driven by the grazing-incidence pumping scheme; J Zhao, QL Dong, F Yan, J Zhang; Physical Review A; 73 (2006) 33816.
- [28]Mapping of complex optical field patterns in multimode photonic crystal waveguides by near-field scanning optical microscopy; Tao HH, Liu RJ, Li ZY, Feng S, Liu YZ, Ren C, Cheng BY, Zhang DZ, Ma HQ, Wu LA and Zhang ZB; Phys. Rev. B; 74 (2006) 205111.
- [29]Simulations of defect-free coupled-resonator optical waveguides constructed in 12-fold quasiperiodic photonic crystals; Y.Q. Wang, J. Liu , B. Zhang, S. Feng ,Z.Y. Li; Physical Review B; 73 (2006) 155107.
- [30]Mapping of complex optical field patterns in multimode photonic crystal waveguides by near-field scanning optical microscopy; H.H. Tao, R.J. Liu, Z.Y. Li, S. Feng, Y.Z. Liu, C. Ren; Physical Review B; 74 (2006) 205111.
- [31]Transmission properties of dual-band cross-dipole fractal slit arrays for near- and mid-infrared wavelengths; M.Sun , R.J. Liu , Z.Y.Li ,S. Feng B.Y.Cheng , D.Z.Zhang , H.F.Yang, A.Z.Jin; Physical Review B; 74 (2006) 193404.
- [32]Interface of epitaxial SrTiO₃ on silicon characterized by transmission electron microscopy electron energy loss spectroscopy, and electron holography; H. F. Tian, H. X. Yang, H. R. Zhang, Y. Li, H. B. Lu, and J. Q. Li; Physical Review B; 73 (2006) 75325.
- [33]Experimental demonstration of non-near-field image formed by negative refraction;Z.F.Feng, X.D.Zhang, K.Ren,Z.Y. Li, B.Y.Cheng,D.Z. Zhang; Physics Review B; 73 (2006) 75118.
- [34]Proton acceleration from microdroplet spray by weakly relativistic femtosecond laser pulses; XY Peng, J Zhang, J Zheng, ZM Sheng, MH Xu, ZYZheng, TJ Liang, YT Li, QL Dong, XH Yuan, YJ Li, HM Li; Physical Review E; 74 (2006) 36405.
- [35]Characteristics of multiple filaments generated by femtosecond laser pulses in air: Prefocused versus free propagation; Z Q Hao, J Zhang, Z Zhang, X H Yuan, Z Y Zheng, X Lu, Z Jin, Z H Wang, J Y Zhong, and Y Q Liu; Physical Review E; 74 (2006) 66402.
- [36]Imaging properties of triangular lattice photonic crystal at the lowest band; K.Ren, S. Feng, Z.F. Feng, Y. Sheng, Z.Y. Li , B.Y. Cheng, D.Z. Zhang; Physics Letters A; 348 (2006) 405.

[37]Resistivity properties of the mixed-phase manganite $\text{La}_{0.96}\text{Te}_{0.04}\text{MnO}_3$; Qing-li Zhou, Kui-juan Jin, Dong-yi Guan, Zheng-hao Chen, Hui-bin Lu, and Guo-zhen Yang; Physics Letters A; 350 (2006) 283.

[38]Luminescence enhancement by energy transfer in core-shell structures; Louis C, Rous S, Ledoux G, Dujardin C, Tillement O, B. L. Cheng, Pascal P.; Chemical Physics Letters; 429 (2006) 157.

[39]Spatial evolution of multiple filaments in air induced by femtosecond laser pulses; Z.Q.Hao,J.Zhang,X.Lu,T.T.Xi,Y.T.Li,X.H.Yuan,Z.Y.Zheng,Z.H.Wang,W.J.Ling,Z.Y.Wei; Optics Express; 14 (2006) 773.

[40]High resolution three-port filter in two dimensional photonic crystal slabs; C.Ren, J. Tian, S. Feng, H.H. Tao, Y.Z. Liu, K. Ren, Z.Y. Li, B.Y.Cheng,D.Z. Zhang, H.F. Yang; Optics Express; 14 (2006) 10014.

[41]Surface electron acceleration in relativistic lasersolid interactions; M Chen, ZM Sheng, J Zheng, YY Ma, M. A Bari, YT Li, and J Zhang; Optics Express; 14 (2006) 3093.

[42]Generation of 7.6 W of blue laser by frequency-tripling of a Nd:YAG laser in LBO crystals; Peng HB, Hou W, Chen YH, Cui DF, Xu ZY, Chen CT,Fan FD, Zhou Y; Optics Express; 14 (2006) 6543.

[43]28 W red light output at 659.5nm by intracavity frequency doubling of a Nd:YAG laser using LBO; Peng HB, Hou W, Chen YH, Cui DF, Xue ZY, Chen CC, Fan FD, Zhou Y; Optics Express; 14 (2006) 3961.

[44]Effect of the subwavelength hole symmetry on the enhanced optical transmission through metallic films; M. Sun, J. Tian, S.Z. Han, Z.Y. Li, B.Y. Cheng, D.Z. Zhang, A.Z. Jin and H.F. Yang; Journal of Applied Physics; 100 (2006) 24320.

[45]Influence of surface termination morphologies on the imaging properties of a composite two-dimensional photonic crystal lens; Z.F.Feng, S.Feng, Z.Y. Li, B.Y.Cheng,D.Z. Zhang; Journal of Applied Physics; 100 (2006) 53702.

[46]Optical properties of tetragonal photonic crystal synthesized via template-assisted self-assembly; C.j. Jin, Z.Y. Li, M. A.McLachlan, D. W. McComb, R. M. De La Rue and N. P. Johnsonb; Journal of Applied Physics; 99 (2006) 116109.

[47]Raman spectroscopy studies of Ce-doping effects on $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{TiO}_3$ thin films; S. Y. Wang, B. L. Cheng, Can Wang, S. Y. Dai, K. J. Jin, Y. L. Zhou, H. B. Lu, Z. H. Chen, and G. Z. Yang; Journal of Applied Physics; 99 (2006) 13504 .

[48]Analysis of Opto-Thermionic Refrigeration based on Semiconductor Heterojunction; Peng Han, Kui-juan Jin*, Yueliang Zhou, Xu Wang, Zhongshui Ma, Shang-Fen Ren, A. G. Mal'shukov, and K. A. Chao; Journal of Applied Physics; 99 (2006) 74504.

[49]Effect of Ce substitution on the magnetic and dielectric property of BiMn₂O₅; Z. H. Sun, B. L. Cheng, S. Dai, K. J. Jin, Y. L. Zhou, H. B. Lu, Z. H. Chen, and G. Z. Yang; Journal of Applied Physics; 99 (2006) 84105.

[50]Numerical designing of semiconductor structure for optothermionic refrigeration; Peng Han, Kui-juan Jin*, Yue-liang Zhou, Hui-bin Lu, and Guo-zhen Yang; Journal of Applied Physics; 100 (2006).

[51]The third-order optical nonlinearities of carbon nanotube modified conjugated polymer in the femtosecond and nanosecond regimes; Wenhui Yi, Wei Feng, Chunyu Zhang, Yongbing Long, Zhiguo Zhang, et al; Journal of Applied Physics; 100 (2006) 94301.

[52]Electron injection and trapping in a laser wakefield by field ionization to high-charge states of gases; M Chen, ZM Sheng, YY Ma, J Zhang; Journal of Applied Physics; 99 (2006) 56109.

[53]Time evolution of the microstructures of LaAlO₃ thin films grown on Si substrate; X. L. Li, W. F. Xiang, H. Y. Jing, H. B. Lu, Z. H. Mai; Applied Physics A; 84 (2006) 341.

[54]Characteristic investigation of ablative laser propulsion driven by nanosecond laser pulses;ZY Zheng, J Zhang, X Lu, ZQ Hao, XH Yuan, ZH Wang, ZY Wei; Applied Physics A; 83 (2006) 329.

[55]Enhancement of coupling coefficient of laser plasma propulsion by water confinement; ZY Zheng, J Zhang, Y Zhang, F Liu, M Chen, X Lu, YT Li; Applied Physics A; 85 (2006) 441.

[56]Characteristic investigation of ablative laser propulsion driven by nanosecond laser pulses;Z.Y.Zheng,J.Zhang,X.Lu,Z.Q.Hao,X.H.Yuan,Z.H.Wang,Z.Y.Wei; Appl.Phys.A; 10 (2006) 329.

[57]On the angular distribution of fast electrons generated in intense laser interaction with solid targets; M Chen, ZM Sheng, J Zhang; Physics of Plasmas; 13 (2006) 14504.

[58]Effects of shock waves on spatial distribution of proton beams in ultrashort laser-foil interactions; MH Xu, YT Li, XH Yuan, QZ Yu, SJ Wang, W Zhao, XL Wen, GC Wang, CY Jiao, YL He, SG Zhang, XX Wang, WZ Huang, YQ Gu, J Zhang; Physics of Plasmas;13(2006) 104507.

[59]Inverse bremsstrahlung absorption and the evolution of electron distributions accounting for electron-electron collisions; SM Weng, ZM Sheng, MQ He, HC Wu, QL Dong, J Zhang; Physics of Plasmas; 13 (2006) 113302.

[60]Dense Quasi-Monoenergetic Electron Bunches from Laser Interaction with Wire and Slice Targets; YY Ma, ZM Sheng, J Zhang, YT Li, WW Chang, XH Yuan, M Chen, J Zheng; Physics of Plasmas; 13 (2006) 110702.

[61]Intensity-dependent resonance absorption in relativistic laser-plasma interaction ; H Xu, ZM Sheng, J Zhang, and M Y Yu; Physics of Plasmas; 13 (2006) 123301.

[62]3.8 W of cw blue light generated by intracavity frequency doubling of a 946-nm Nd:YAG laser with LBO; Chen YH, Peng HB, Hou W, Peng QJ, Geng AC, Guo L, Cui DF, Xu ZY; Applied Physics B; 83 (2006) 241.

[63]Bianisotropic response of microfabricated metamaterials in the terahertz region; Xu XL, Quan BG, Gu CZ, Wang L; Journal of Optical Society of America B; 23 (2006) 1174.

[64]Fabrication of SiO₂/TiO₂ and SiO₂/Al₂O₃ composite inverse opals; Q.Zhou, P.Dong, B.Y.Cheng; Journal of Crystal Growth; 292 (2006) 320.

[65]Preparation and characterization of Co-BaTiO₃ nano-composite films by the pulsed laser deposition; W. D. Wu, Y. J. He, F. Wang, Z. H. Chen, Y. J. Tang, W. G. Sun ;Journal of Crystal Growth; 289 (2006) 408.

[66]Deviation of optical constants extracted in terahertz transmission spectroscopy; Xu XL, Wang XM, Wang L; Applied Optics; 45 (2006) 648.

[67]Timing jitter reduction and single-frequency operation in an acousto-optic Q-switched Cr,Nd:YAG laser; Wang XJ, Xu ZY; Applied Optics; 45 (2006) 8477.

[68]High-power and high-quality, green beam generation by employing a thermally near-unstable resonator design; Bo Y, Geng AC, Bi Y, Sun ZP, Yang XD, Peng QJ, Li HQ, Li RN, Cui DF, Xu ZY; Applied Optics; 45 (2006) 2499.

[69]Simultaneous Dual-wavelength Q-switched Nd:YAG Laser Operating at 1.06 μm and 946 nm; Zhang L, Wei ZY, Feng BH, Li DH, Zhang ZG; Optics Communication; 264 (2006) 51.

[70]4.44W of CW 515nm green light generated by intracavity frequency doubling Yb:YAG thin disk laser with LBO; Guo XJ, Hou W, Peng HB, Zhang HL, Wang GL, Geng AC, Chen YH, Cui DF, Xu ZY; Optics Communications; 267 (2006) 451.

[71]High beam quality, 5.1J, 108Hz diode-pumped Nd:YAG rod oscillator amplifier laser system; Yang XD, Bo Y, Peng QJ, Zhang HL, Bi Y, Geng AC, Cui QJ, Sun ZP, Cui DF, Xu ZY; Optics Communications; 266 (2006) 39.

[72]28.4W 266nm ultraviolet beam generation by fourth harmonic generation of an all solid state laser; Wang GL, Geng AC, Bo Y, Li HQ, Sun ZP, Bi Y, Cui DF, Xu ZY, Yuan X, Wang XQ, Shen GQ, Shen DZ; Optics Communications; 259 (2006) 820.

[73]Enhancement of optical nonlinearity in periodic gold nanoparticle arrays; H. Shen, B. L. Cheng, G.W. Lu, T. Y. Ning, D. Y. Guan, Y. I. Zhou, Z. H. Chen; Nanotechnology; 17 (2006) 4274.

[74]Influence of stress on Raman spectra in Ba_{1-x}Sr_xTiO₃ thin films; L. Z. Cao¹, B. L. Cheng, S. Y. Wang, W. Y. Fu, S. Ding, Z. H. Sun, H. T. Yuan, Y. L. Zhou, Z. H. Chen and G. Z. Yang; Journal of Physics D: Applied Physics; 39 (2006) 2819 .

[75]Ce-doping effects on electronic structures of Ba_{0.5}Sr_{0.5}TiO₃ thin film; S. Y. Wang, B. L. Cheng, C. Wang, Button TW, S. Y. Dai, K. J. Jin, H. B. Lu, Y. L. Zhou, Z. H. Chen, G. Z. Yang; Journal of Physics D: Applied Physics; 39 (2006) 979.

[76]Picosecond nonlinear optical responses of Au/PVP composite films; H. Shen, B. L. Cheng, G. W. Lu, D. Y. Guan, Z. H. Chen, G. Z. Yang; Journal of Physics D: Applied Physics; 39 (2006) 233.

[77]Dielectric property studies of multiferroic GaFeO₃; Z. H. Sun, B. L. Cheng, S. Dai, L. Z. Cao, Y. L. Zhou, K. J. Jin, Z. H. Chen; Journal of Physics D: Applied Physics; 39 (2006) 2481.

[78]Influence of oxygen pressure on the structural and dielectric properties of laser-ablated Ba_{0.5}Sr_{0.5}TiO₃ thin films epitaxially grown on (001) MgO for microwave phase shifters; X. H. Zhu, Q. D. Meng, L. P. Yong, Y. S. He, B. L. Cheng, D. N. Zheng; Journal of Physics D: Applied Physics; 39 (2006) 2282.

[79]Laser-induced thermoelectric voltage in normal state MgB₂ thin films; S.Q. Zhao, Y. L.

Zhou, K. Zhao, S. F. Wang, Z. H. Chen, K. J. Jin, H. B. Lu, B. L. Cheng, G. Z. Yang; Applied Surface Science; 253 (2006) 2671.

[80]Enhanced hardness in B-doped ZnO thin films on fused quartz substrates by pulsed-laser deposition; S. Q. Zhao, Y. L. Zhou, Y. Z. Liu, K. Zhao, S. F. Wang, W. F. Xiang, Z. Liu, P. Han, Z. Zhang, Z. H. Chen; Applied Surface Science; 253 (2006) 726.

[81]An impedance matched phase shifter using BaSrTiO₃ thin film; X. H. Zhu, Q. D. Meng, L. P. Yong, Y. S. He, B. L. Cheng, D. N. Zheng; IEEE Microwave and Wireless Components Letters; 16 (2006) 345.

[82]The influence of hole shape on enhancing transmission through subwavelength hole arrays; M.Sun , R.J.Liu , Z.Y.Li , B.Y.Cheng , D.Z.Zhang ; Chinese Physics; 15 (2006) 1591.

[83]Near-field imaging of a square-lattice metallic photonic-crystal slab at the second band;S.Feng, Z.F.Feng, K.Ren, Z.Y.Li, B.Y. Cheng, D.Z. Zhang; Chinese Physics; 15 (2006) 552.

[84]Optical properties of the direct-coupled Y-branch filters by using photonic crystal slabs; J.Tian, C.Ren, S.Feng, Y.Z.Liu,H.H.Tao, Z.Y. Li , B.Y.Cheng,D.Z. Zhang, A.Z.Jin; Chinese Physics; 15 (2006) 2471.

- [85]Optical properties of carbon nanotubes and BTO composite thin films; G. W. Lu, B. L. Cheng, H. Shen, Y. J. Chen, Y. L. Zhou, Z. H. Chen, G. Z. Yang; Chinese Physics; 15 (2006) 1815 .
- [86]Ultraviolet photovoltaic characteristic of MgB₂ thin filmconductive B-doped ZnO thin film;Zhao Song-Qing, Zhou Yue-Liang*, Zhao Kun, Wang Shu-Fang, Liu Zhen, Chen Zheng-Hao, Lu Hui-Bin, Jin Kui-Juan, Cheng Bo-lin, Yang Guo-Zhen; Chinese Physics; 15 (2006) 839.
- [87]Deposition and characterization of YBCO/CeO₂/YSZ/CeO₂ multilayers on biaxially textured Ni substrates; Wang SF, Zhao SQ, Liu Z, Zhou YL, Chen ZH, Lu HB, Jin KJ, Cheng BL, Yang GZ; Chinese Physics; 15 (2006) 444.
- [88]Successive particle acceleration by use of two tightly focused ultra-short intense laser pulses;M Chen, ZM Sheng, J Zhang; Chinese Physics; 15 (2006) 568.
- [89]The characteristics of confined ablation in laser propulsion; ZY Zheng, J Zhang, ZQ Hao, XH Yuan, Z Zhang, X Lu, ZH Wang, ZY Wei; Chinese Physics; 15 (2006) 580.
- [90]Generation of third harmonic emission in propagation of femtosecond laser pulses in air; TT Xi, J Zhang, X Lu, ZQ Hao, H Yang, QL Dong, HC Wu.; Chinese Physics; 15 (2006) 2025.
- [91]Diode end-pumped self-Q-switched and mode-locked Nd,Cr:YAG /KTP green laser; Du Shi-Feng, Wang Su-Mei, Zhang Dong-Xiang, Feng Bao-Hua, Zhang Chun-Yu, Zhang Ling, Zhang Zhi-Guo, Zhang Shi-Wen; Chin. Phys.; 15 (2006) 1522.
- [92]Self-starting mode-locked picosecond Ti:sapphire laser by using of a fast SESAM; JF Zhu, JR Tian, P Wang, WJ Ling, DH Li, ZY Wei; Chinese Physics; 15 (2006) 2022.
- [93]The characteristics of confined ablation in laser propulsion; Z.Y.Zheng, J.Zhang, Z.Q Hao, X.H Yuan, Z.Zhang, X Lu,Z.H.Wang, Z.Y.Wei; Chinese Physics; 15 (2006) 580.
- [94]Passively mode-locked Nd:GdVO₄ laser at 912 nm; Zhang C, Wei ZY, Zhang L, Zhang CY, Zhang ZG; Chinese Physics; 15 (2006) 2606.
- [95]Calculation of plasma characteristics of the sun; M.A. Bari, JY Zhong, M Chen, J Zhao, J Zhang; Chinese Physics; 15 (2006) 2578.
- [96]Coulomb potential recapture effect in above-barrier ionization in laser pulses; Wang BB, Li XF, Fu PM, Chen J, Liu J; Chinese Physics Letter; 23 (2006) 2729.
- [97]Control of polarization interference in Doppler broadened nondegenerated four-wave mixing system; Zuo ZC, Sun J, Liu X, Wu LA, Fu PM; Chinese Physics Letter; 23 (2006) 625.

- [98] The Role of Periodicity in Enhanced Transmission through Subwavelength Hole Arrays; M. Sun, J. Tian, Z. Y. Li, B. Y. Cheng, D. Z. Zhang, A. Z. Jin, H. F. Yang; Chinese Physics Letters; 23 (2006) 486.
- [99] Negative refraction and imaging in a triangular-lattice metallic photonic-crystal slab; S. Feng, M. Sun, C. Ren, Z. F. Feng, Z. Y. Li, B. Y. Cheng, D. Z. Zhang; Chinese Physics Letters; 23 (2006) 994.
- [100] Thermal hysteresis in $\text{La}_{2/3}\text{Ca}_{1/3}\text{MnO}_3$ film grown on tilted SrTiO_3 substrate and influence of external magnetic field; Guan Dong-Yi, ZHOU Qing-Li, ZHAO Kun, SUN Jia-Xing, JIN Kui-Juan*, CHEN Zheng-Hao, LU Hui-Bin, YANG Guo-Zhen; Chinese Physics Letters; 23 (2006) 460.
- [101] Application of oblique-incidence reflectivity difference method in primary study of protein biomolecules; ZHANG Hong-Yan, LIANG Ru-Qiang, JIN Kui-Juan, LÜ Hui-Bin, ZHU Xiang-Dong, ZHOU Yue-Liang, RUAN Kang-Cheng, YANG Guo-Zhen; Chinese Physics Letters; 23 (2006) 1032.
- [102] Photoelectric characteristic of $\text{La}_{0.9}\text{Sr}_{0.1}\text{MnO}_3/\text{SrNb}_{0.01}\text{Ti}_{0.99}\text{O}_3$ p-n heterojunctions; Yanhong Huang, Kuijuan Jin, Kun Zhao, Huibin Lu, Meng He, Zhenghao Chen, Yueliang Zhou, and Guozhen Yang, Xiuliang Ma; Chinese Physics Letters; 23 (2006) 982.
- [103] Simulation of temperature-dependent resistivity for manganite $\text{La}_{1/3}\text{Ca}_{2/3}\text{MnO}_3$; S. Cao, Q. L. Zhou, D. Y. Guan, H. B. Lu, G. Z. Yang; Chinese Physics Letters; 23 (2006) 1551.
- [104] Formation of interfacial layers in LaAlO_3 silicon during film deposition; W. F. Xiang, H. B. Lu, L. Yan, M. He, Y. L. Zhou, Z. H. Chen; Chinese Physics Letters; 23 (2006) 467.
- [105] Compact diode-pumped continuous-wave Nd:LuVO₄ lasers operating at 916 nm and 458 nm; Zhang L, Zhang CY, Wei ZY, Zhang C, Long YB, Zhang ZG, Zhang HJ, Wang JY; Chinese Physics Letters; 23 (2006) 1192.
- [106] Characteristics of Nd:GdVO₄ Laser with different Nd-doping concentrations; Zhang L, Zhang CY, Wei ZY, Zhang ZG, Strohmaier S, Eichler HJ; Chinese Physics Letters; 23 (2006) 2088.
- [107] Laser diode-pumped Nd:LuVO₄ AO Q-switched laser at 916nm; Zhang CY, Gao CQ, Lin ZF, Gao MW, Zhang L, Wei ZY, Zhang C, Zhang ZG, Zhang HJ, Wang JY; Chinese Physics Letters; 23 (2006) 2763.
- [108] Effects of laser intensities and target shapes on attosecond pulse generation from irradiated solid surfaces; J Zheng, ZM Sheng, J Zhang, M Chen, YY Ma; Chinese Physics Letters; 23 (2006) 377.
- [109] Timing jitter and pulse width reduction in a hybrid Q-switched Cr,Nd:YAG laser; Wang XJ, Xu ZY; Chinese Physics Letters; 23 (2006) 1800.

[110]A 4.8W M₂=4.6 continuous wave sum-frequency diode-pumped solid state yellow laser;Bo Y, Geng AC, Lu YF, Yang XD, Peng QJ, Cui QJ, Cui DF, Xu ZY; Chinese Physics Letters; 23 (2006) 1494.

[111]Generation of 2.1 W of continuous wave blue light by intracavity doubling of a diode-end-pumped Nd:YAG laser in a 30mm LBO; Chen YH, Hou W, Peng HB, Geng AC, Zhou Y, Cui DF, Xue ZY; Chinese Physics Letters; 23 (2006) 1479.

[112]Diode-pumped Passive Q-switched 946-nm Nd:YAG Laser with a GaAs Saturable Absorber; Wang Su-Mei, Zhang Qiu-Lin, Zhang Ling, Zhang Chun-Yu, Zhang Dong-Xiang, Feng Bao-Hua, Zhang Zhi-Guo; Chin. Phys. Lett.; 23 (2006) 619.

[113]High Efficient and Stable Ring Regenerative Amplifier for Chirped-Pulse Amplification at Repetition Rate 1 kHz; H Zhao, P Wang, ZY Wei, JR Tian, DH Li, ZH Wang, J Zhang; Chinese Physics Letters; 24 (2006) 115.

[114]Theoretical model of the mechanism study on the positive magnetoresistance in the heterostructure composed of two oxides ; K. J. Jin, H. B. Lu, Q. L. Zhou, K. Zhao, G. Z. Yang; Journal of Magnetism and Magnetic Materials; 303 (2006) 329.

[115]Electrical transport and magnetic properties of perovskite-type electron-doped La-Pr-Mn-O epitaxial films; P. Duan, Z. H. Chen, S. Y. Dai, L. F. Liu, J. Cao; Journal of Magnetism and Magnetic Materials; 301 (2006) 521.

[116]Magnetic field dependent voltage-current characteristics in Fe₃O₄ thin films at room temperature; Kun Zhao, K. J. Jin, Y. H. Huang, H. B. Lu, M. He, Z. H. Chen, Y. L. Zhou, G. Z. Yang; Physica B; 373 (2006) 72.

[117]Violet luminescence emitted from Ag-nanocluster doped ZnO thin films grown on fused quartz substrates by pulsed laser deposition; Songqing Zhao, Yueliang Zhou*, Kun Zhao, Zhen Liu, Peng Han, Shufang Wang, Wenfeng Xiang, Zhenghao Chen, Huibin Lü, Bolin Cheng, Guozhen Yang; Physica B; 373 (2006) 154.

[118]characteristics of heterojunction of amorphous LaAlO_{2.73} on Si; Yanhong Huang, Kun Zhao, Kui-juan Jin, Huibin Lu, Meng He, Zhenghao Chen, Yueliang Zhou, and Guozhen Yang; Physica B; 373 (2006) 313.

[119]Femtosecond Optical Response of Electron-Doped Superconductor (La,Ce)₂CuO₄;Long YB, Zhao L, Zhao BR, Qiu XG, Zhang CY, Fu PM, Wang L, Zhang ZG, Zhao SP, Yang QS, Wang GP; Physica C; 436 (2006) 59.

[120]Phase mixing due to the ion motion and the relativistic effect of electrons in nonlinear plasma oscillations; H Xu, ZM Sheng, J Zhang; Physica Scripta; 74 (2006) 673.

[121]Microfabrication and properties of the meta-materials; Quan BG, Xu XL, Xia XX, Yang HF, Wang L, Cui Z, Gu CZ; Microelectronic Engineering; 83 (2006) 1364.

- [122]Multi-photon absorption and optical limiting from six stilbazolium derivatives: donor influences; C.L.Zhan, Y.J.Li, D.H.Li, D.Y.Wang, Y.X.Nie; *Optical Materials*; 28 (2006) 289.
- [123]One hundred and twenty one W green laser generation from a diode-side-pumped Nd:YAG laser by use of a dual-V-shaped configuration; Geng AC, Bo Y, Yang XD, Li HQ, Sun ZP, Wang XJ, Wang GL,Cui DF, Xu ZY; *Optics and Lasers Engineering*; 44 (2006) 589.
- [124]Preplasma Effects on the Emission Directions of Energetic Electrons in Relativistic Laser-solid Interaction, *Journal of Plasma Physics*; YY Ma, ZM Sheng, YT Li, J Zhang, XH Yuan, ZY Zheng, WW Chang, M Chen, J Zheng; *Journal of Plasma Physics*; 72 (2006) 1.
- [125]Ferroelectric thin-film characterization using a coplanar waveguide bandstop filter; X. H. Zhu, Q. D. Meng, L. P. Yong, Y. S. He, B. L. Cheng, D. N. Zheng; *Physica Status A-Applications and Materials Science*; 203 (2006) 379.
- [126]Fabrication and Characteristic Investigation of Multifunctional Oxide p-n Heterojunctions; H. B. Lu,K. J. Jin, K. Zhao, Y. H. Huang, M. He, Z. H. Chen, Y. L. Zhou, and G. Z. Yang; *Advances in Science and Technology*; 45 (2006) 2582.
- [127]Mechanism and dynamics of breakage of fluorescent microtubules; H.L.Guo, C.H.Xu CH, C.X.Liu,E. Qu, M.Yuan, Z.I.Li,B.Y. Cheng, D.Z.Zhang; *Biophysical Journal*; 90 (2006) 2093.
- [128]Frequency stabilization of a laser diode module pumped Cr,Nd:YAG laser; Wang XJ, Xu ZY; *Chinese Optics Letters*; 4 (2006) 518.
- [129]Studies of Structure and Electrical Characteristic of Nb-doped SrTiO₃ Substrates;Yanhong Huang, Huibin Lu, Haizhong Guo, Lifeng Liu, Meng He, Zhenghao Chen, Yueliang Zhou, Kun Zhao, Kuijuan Jin and Guozhen Yang; *Chinese Science Bulletin*; 51 (2006) 2035.
- [130]Structural and optical properties of BaTiO₃ ultrathin films; Guo HZ, Liu LF, Chen ZH, Ding S, Lu HB, Jin KJ, Zhou YL, Cheng BL; *Europhysics Letters*; 73 (2006) 110.
- [131]Influence of illumination condition on the measurement of optical tweezers system;Y.Q. Jiang, H.L. Guo, C.X. Liu, Z.L. Li, B.Y. Cheng, D.Z.Zhang, S.T. Jia; *International Journal of Modern Physics B*; 20 (2006) 659.
- [132]Terahertz radiation in superlattices in moderate electric field; Peng Han, Kui-juan Jin*, Yue-liang Zhou, and Qing-li Zhou; *International Journal of Modern Physics B*; 20 (2006) 937.
- [133]A fast electron jet along target surface irradiated by femtosecond laser pulses;Y. T.Li,X.H.Yuan,Z.Y.Zheng,M.H.Xu,Y.Y.Ma,M.Chen,W.X.Liang,Q.Z.Yu,Z.M.Sheng,Z.Y.Wei,J.Zhang; *J.Phys.IV*; 10(2006) 413.

[134]A fast electron jet along target surface irradiated by femtosecond laser pulses; YT Li, XH Yuan, ZY Zheng, MH Xu, YY Ma, M Chen, WX Liang, QZ Yu, ZM Sheng, ZH Wang, ZY Wei, J Zhang; Journal de Physique IV; 133 (2006) 413.

[135]Superconducting transition temperature in YBa₂Cu₄O₈/La₂/3Ca₁/3MnO₃/YBa₂Cu₄O₈ heterostructures; Kun Zhao, H. K. Wong; Journal of Rare Earths; 24 (2006) 81.

[136]W-class coherent addition of two Nd: YVO₄ laser by use of a modified Michelson cavity; Peng QJ, Cui DF, Xu ZY; Proceedings of SPIE; 6344 (2006) 63441y.

[137]Fabrication of MgB₂ superconducting films by different methods; S. F. Wang, Y. L. Zhou, Y. B. Zhu, Z. H. Chen, G. Z. Yang; Progress in Natural Science; 16 (2006) 175.

[138]Effect of ambient oxygen pressure on structural, optical and electrical properties of SnO₂ thin films; ZHAO Songqing, ZHOU Yueliang, WANG Shufang, ZHAO Kun, and HAN Peng; Rare Metals; 25 (2006).

[139]Generation of surface electrons in femtosecond laser solid interactions; MH Xu, YT Li, XH Yuan, ZY Zheng, WX Liang, QZ Yu, Y Zhang, ZH Wang, ZY Wei, J Zhang; Science in China Series G; 49 (2006) 335.

[140]The comparison study of diagnostics of light filaments in air; ZQ Hao, J Zhang, J Yu, ZY Zheng, XH Yuan, Z Zhang, YT Li, ZH Wang, WJ Ling, ZY Wei; Science in China Series G; 49 (2006) 228.

[141]Anomalous photovoltaic effect in LaSrMnO₃ films grown on SrTiO₃ (001) substrates by laser molecular beam epitaxy; Kun Zhao, Hui-bin Lu, Meng He, Yan-hong Huang, Kui-juan Jin, Zheng-hao Chen, Yue-liang Zhou, Guo-zhen Yang, Xiu-liang, Ma; The European Physical Journal Applied Physics; 35 (2006) 173.

[142]Structural and transport properties of heteroepitaxial BaNbxTi_{1-x}O₃ (x=0.05, 0.2) thin films; Haizhong Guo, Lifeng Liu, Huibin Lu, Shuo Ding, Zhenghao Chen; Thin Solid Films; 497 (2006) 341.

[143]Interfacial control of LAO films deposited on Si(100) using a thin La-Al-Si-O silicate film as the barrier layer; W. F. Xiang, Y. Z. Liu, H. B. Lu, L. Yan, M. He, Z. H. Chen; Thin Solid Films; 515 (2006) 2722.

[144]荧光标记微管的光敏断裂及机理; 徐春华, 刘春香, 郭红莲, 李兆霖, 降雨强, 张道中, 袁明; 物理学报; 55 (2006) 206。

[145]用太赫兹时域光谱技术探测天冬酰胺的低频集体吸收频谱; 马士华, 施宇蕾, 徐新龙, 严伟, 杨玉平, 汪力; 物理学报; 55 (2006) 4091。

[146]La_{1-x}Pr_xMnO₃ 薄膜庞磁电阻性质的研究段萃; 陈正豪, 戴守愚, 周岳亮, 吕惠宾; 物理学报; 55 (2006) 1441。

- [147]脉冲激光沉积 Ag:BaTiO₃ 纳米复合薄膜及其光学特性; 杨光, 陈正豪; 物理学报; 55 (2006) 4342。
- [148]消多普勒三光子共振六波混频; 左战春, 孙江, 吴令安, 傅盘铭; 物理学报; 55 (2006)1186。
- [149]激光脉冲在气体中产生的离化波前的演化及其对光脉冲传播的影响; 陈民, 盛政明, 张杰; 物理学报; 55 (2006) 337。
- [150]强激光与高密度气体相互作用中电子和离子加速的数值模拟; 陈民, 盛政明, 郑君, 张杰; 物理学报; 55 (2006) 2381。
- [151]利用韧致辐射诊断激光等离子体相互作用产生的超热电子; 徐妙华, 梁天骄, 张杰;物理学报; 55 (2006) 2357。
- [152]近相对论强度激光与薄膜靶相互作用中靶厚度对超热电子发射方向的影响; 郑志远, 李玉同, 远晓辉, 徐妙华, 梁文锡, 于全芝, 张翼, 魏志义, 张杰; 物理学报; 55 (2006) 1894。
- [153]靶结构对激光等离子体动量耦合系数的影响; 郑志远, 张杰, 郝作强, 远晓辉, 张喆, 鲁欣, 王兆华, 魏志义; 物理学报; 55 (2006) 326。
- [154]空气中激光等离子体通道的荧光探测和声学诊断两种方法的比较实验研究; 郝作强, 张杰, 俞进, 张喆, 仲佳勇, 臧充之, 金展, 王兆华, 魏志义; 物理学报; 55 (2006) 299。
- [155]飞秒与皮秒激光脉冲的主动同步及和频产生超短激光的研究; 王鹏、赵环、王兆华、李德华、魏志义; 物理学报; 55 (2006) 4161。
- [156]超热电子角分布和能谱的各向异性实验研究; 郑志远, 李玉同, 远晓辉, 徐妙华, 梁文锡, 于全芝, 张翼, 王兆华, 魏志义, 张杰; 物理学报; 55 (2006) 5349。
- [157]激光入射角对靶面方向超热电子发射的影响; 远晓辉, 李玉同, 徐妙华, 郑志远, 梁文锡, 于全芝, 张翼, 王兆华, 令维军, 魏志义, 赵卫, 张杰; 物理学报; 55 (2006) 5899。
- [158]超热电子产生的靶后相干渡越辐射光谱实验研究; 远晓辉, 李玉同, 徐妙华, 于全芝, 王首钧, 张杰, 赵卫, 王光昶, 温贤伦, 焦春晔, 何颖伶, 张双根, 王向贤, 黄文忠, 谷渝秋; 物理学报; 55 (2006) 5362。
- [159]相对论效应对激光在等离子体中的共振吸收的影响; 徐慧, 盛政明, 张杰; 物理学报; 55 (2006) 5354。
- [160]基于高斯型脉冲驱动的一类镍瞬态 X 射线激光的流体力学模型; 庞海龙, 李英骏, 鲁欣, 张杰; 物理学报; 55 (2006) 6382。
- [161]高平均功率调 Q 准连续 Nd:YAG 激光器; 薄勇, 耿爱丛, 毕勇, 孙志培, 杨晓冬, 李瑞宁, 崔大复, 许祖彦; 物理学报; 55 (2006) 1171。

[162]初始啁啾对飞秒脉冲在光子晶体光纤中超连续谱产生的影响;刘卫华,王屹山,刘红军,赵卫,李永放,彭钦军,许祖彦;物理学报; 55 (2006) 1815。

[163]V型腔腔内和频产生 3W 连续波 589nm 黄光激光器;耿爱丛,薄勇,毕勇,孙志培,杨晓冬,鲁远甫,郭林,王桂玲,崔大复,许祖彦;物理学报; 11 (2006) 5227。

[164]激光入射角对靶面方向超热电子发射的影响;远晓辉,李玉同,徐妙华,郑志远,梁文锡,于全芝,张翼,王兆华,令维军,魏志义,赵卫,张杰;物理学报; 55 (2006) 5899。

[165]强激光与等离子体相互作用中沿靶表面发射的高能超热电子;李玉同,远晓辉,徐妙华,郑志远,盛政明,陈民,马燕云,梁文锡,于全芝,张翼,刘峰,王兆华,魏志义,赵卫,张杰;物理; 35 (2006) 716。

[166]激光尾波场加速中的准单能电子束的产生;马燕云,盛政明,陈民,李玉同,常文蔚,张杰;物理; 35 (2006) 1028。

[167]台面型电子加速器—激光尾波场加速器;陈民,盛政明,马燕云,张杰;物理; 35(2006) 1016。

[168]飞秒激光精密微纳加工的研究进展;朱江峰,魏志义;物理; 35 (2006) 679。

[169]2005 年诺贝尔物理学奖与光学频率梳;魏志义;物理; 35 (2006) 127。

[170]近千瓦 Q 脉冲串高效准连续全固态激光器;彭钦军,张鸿博,杨晓冬,崔前进,薄勇,周勇,许家林,崔大复,许祖彦;中国激光; 33 (2006) 1333。

[171]1906W 高效准连续全固态激光器;张鸿博,薄勇,崔前进,周勇,杨晓冬,许家林,崔大复,许祖彦;中国激光; 33 (2006) 1318。

[172]5.25J、100Hz 高光束质量全固态激光器;彭钦军,杨晓冬,薄勇,崔前进,张恒利,崔大复,许祖彦;中国激光; 33 (2006) 212。

[173]实用化全固态 266 nm 激光器的研究;耿爱丛,张鸿博,王桂玲,薄勇,许祖彦,王晓青,沈德忠;光电子·激光; (2006)。

[174]钨酸钡单晶的生长及其受激拉曼特性;臧竞存,李晓,谢丽艳,邹玉林,张东香,冯宝华;激光与红外; 36 (2006) 651。

[175]超强飞秒激光脉冲在空气中的传输研究;张杰,郝作强,远晓辉,郑志远,张喆,俞进,鲁欣,奚婷婷,王兆华,仲佳勇,金展,刘运全,令维军,赵卫,魏志义;量子电子学报; 23 (2006) 282。